

Applicant: Goossens
Application No.: Unassigned
Filing Date: Herewith
Docket No.: 903-138 PCT/US
Page 3

Please add the following new paragraph immediately prior to page 4, line 18, as follows:

DETAILED DESCRIPTION OF PREFERRED EMBODIMENTS:

Please amend the section description for the claims on the top of page 9, as follows:

WHAT IS CLAIMED IS: Claims

Applicant: Goossens
Application No.: Unassigned
Filing Date: Herewith
Docket No.: 903-138 PCT/US
Page 4

B. Amendments to the Claims:

Please amend the claims as follows:

Claim 1. (currently amended) Roulette table device with progressive jackpot, comprising:

- a gaming table (1) designed for playing a roulette game, in which a number layout for placing betting chips is provided on the table (1);
- several player positions;
- a croupier position;
- playing means for playing the roulette game;
- a jackpot computer unit (8, 10) for producing a progressive build-up of a jackpot during each round of a game, and a reduction of the jackpot if a jackpot has been paid out to a player position;

characterized in that wherein

the device further comprises a dolly (3), which a croupier has to place on a corresponding position on the number layout after a winning number has come up in a round of a game,

on the gaming table (1) a detection area (2) for detecting the dolly (3) within said area being provided, and detection means (4, 6) being provided for detection of a movement of the dolly to or from the detection area (2),

the detection means (4, 6) being designed, on detection of a movement of the dolly (3) to or from the detection area (2) during a round of a game, automatically to issue an instruction to the jackpot computer unit (8, 10) for a random determination to be made on whether the jackpot can be paid out to one or more of the player positions in the round of the game concerned.

Claim 2. (original) Roulette table device according to claim 1, in which the detection means (4, 6) are at least partially provided near the detection area (2).

Applicant: Goossens
Application No.: Unassigned
Filing Date: Herewith
Docket No.: 903-138 PCT/US
Page 5

Claim 3. (currently amended) Roulette table device according to claim 1 or 2, in which the detection means comprise a detection loop (6), in particular an antenna loop, positioned near the detection area (2).

Claim 4. (currently amended) Roulette table device according to ~~one of the preceding claim[[s]]~~ 1, in which the detection means comprise a transponder (4) built into the dolly (3).

Claim 5. (currently amended) Roulette table device according to ~~one of the preceding claim[[s]]~~ 1, in which the detection means (4, 6) comprise a time switch that is designed to establish whether the dolly (3) has been moved to or from the detection area (2) in a specific minimum period of time.

Claim 6. (currently amended) Roulette table device according to ~~one of the preceding claim[[s]]~~ 1, in which the detection area (2) is formed by a home base for the dolly (3) provided at the position of or near the croupier position.

Claim 7. (currently amended) Roulette table device according to ~~one of the preceding claim[[s]]~~ 1, in which the detection area comprises at least the number layout.

Claim 8. (currently amended) Roulette table device according to ~~one of the preceding claim[[s]]~~ 1, in which the detection means (4, 6) comprise an ON/OFF switch, in particular built into the dolly (3).

Claim 9. (currently amended) Roulette table device according to ~~one of the preceding claim[[s]]~~ 1, in which a first detection area is provided, in the form of a home base for the dolly provided at the position of or near the croupier position, in which a second detection area is provided, at least extending over the number layout, and in which each detection area is provided with its own set of detection means, which together are designed to, on detection of a movement of the dolly to or

Applicant: Goossens
Application No.: Unassigned
Filing Date: Herewith
Docket No.: 903-138 PCT/US
Page 6

from the respective detection areas during a round of a game, automatically issue the instruction to the jackpot computer unit for a random determination to be made on whether the jackpot can be paid out to one or more of the player positions in the round of the game concerned.

Claim 10. (currently amended) Roulette table device according to ~~one of the preceding claim[[s]]~~ 1, in which reading means are provided under the respective number compartment positions of the number layout, which reading means are designed for automated reading out of a winning number compartment on which the dolly has been placed in a round of a game.

Claim 11. (original) Roulette table device according to claim 10, in which the reading means are integral with the detection means.